Neuroscience Letters, 145 (1992) 237–239

© 1992 Elsevier Scientific Publishers Ireland Ltd. All rights reserved 0304-3940/92/$ 05.00

AUTHOR INDEX

Aceves, J., Floran, B., Martinez-Fong, D., Benitez, J., Sierra, A. and Flores, G., Activation of D_1 receptors stimulates accumulation of γ-aminobutyric acid in slices of the pars reticulata of 6-hydroxydopamine-lesioned rats, 40
Anderton, B.H., see Hanger, D.P., 178
Antonopoulos, J., Papadopoulos, G.C., Michaloudi, H., Cavanagh, M.E. and Parnavelas, J.G., Postnatal development of neuropeptide Y-containing neurons in the visual cortex of normal- and dark-reared rats, 75
Araneda, S., see Fortin, G., 23
Axelrad, H., see Lainé, J., 225

Baeyens, J.M., see Robles, I., 189
Barrios, M., see Robles, I., 189
Barthó, L., Kóczán, G., Pethö, G. and Maggi, C.A., Blockade of nitric oxide synthase inhibits nerve-mediated contraction in the rat small intestine, 43
Batini, C., see Guy, N., 55
Baulieu, E.E., see El-Etr, M., 15
Benitez, J., see Aceves, J., 40
Berger, R.J., see Phillips, N.H., 217
Betz, H., see Schloss, P., 63
Bolino, F., Manna, V., Di Cicco, L., Di Michele, V., Daneluzzo, E., Rossi, A. and Casacchia, M., Startle reflex habituation in functional psychoses: a controlled study, 126
Borasio, P.G., Cervellati, F. and Fabbri, E., Sulmazole effects on PGE_2 and D-Ala^2-Met-enkephalinamide modulation of cyclic AMP synthesis and neurotransmitter release in a sympathetic ganglion, 105
Bourre, J.M., see Despret, S., 19
Branchereau, P., see Fortin, G., 23
Brooker, G., see de Erausquin, G., 121
Brown, D.A., see Jones, S., 153
Burke, S.P., see Taylor, C.P., 197
Bussey, T.J., see Wood, E.R., 10
Butler, A.B. and Saidel, W.M., Tectal projection to an unusual nucleus in the diencephalon of a teleost fish, *Pantodon buchholzi*, 193

Casacchia, M., see Bolino, F., 126
Castel, M.-N., see Xu, Z., 185
Cavanagh, M.E., see Antonopoulos, J., 75
Cervellati, F., see Borasio, P.G., 105
Champagnat, J., see Fortin, G., 23
Chinapen, S., Swann, J.M., Steinman, J.L. and Komisaruk, B.R., Expression of c-*fos* protein in lumbosacral spinal cord in response to vaginocervical stimulation in rats, 93
Civelli, O., see Meador-Woodruff, J.H., 209
Clément, M., see Despret, S., 19
Cortés, R., see Xu, Z., 185
Costa, R., see Raiteri, M., 109

Damask, S.P., see Meador-Woodruff, J.H., 209
Daneluzzo, E., see Bolino, F., 126
Dantzer, R., see Kent, S., 83
Darlington, C.L., Smith, P.F. and Gilchrist, D.P.D., Comparison of the effects of ACTH-(4–10) on medial vestibular nucleus neurons in brainstem slices from labyrinthine-intact and compensated guinea pigs, 97
de Ceballos, M.L., see Fernandez, A., 171
de Erausquin, G., Brooker, G. and Hanbauer, I., K^+-evoked dopamine release depends on a cytosolic Ca^{2+} pool regulated by N-type Ca^{2+} channels, 121
Despret, S., Dinh, L., Clément, M. and Bourre, J.M., Alteration of Δ-6 desaturase by vitamin E in rat brain and liver, 19
Di Cicco, L., see Bolino, F., 126
Di Michele, V., see Bolino, F., 126
Dinh, L., see Despret, S., 19
Do, K.Q., see Tschopp, P., 6

Ebert, U. and Ostwald, J., Serotonin modulates auditory information processing in the cochlear nucleus of the rat, 51
El-Etr, M., Lombes, M., Baulieu, E.E. and Erlanger, B.F., A monoclonal anti-idiotypic 'internal image' antibody that recognizes the A_1 adenosine receptor potentiates the $\alpha_1$adrenergic activation of phospholipase C in primary cultures of mouse striatal astrocytes, 15
El-Fakahany, E.E., see Wang, S.-Z., 149
Erlanger, B.F., see El-Etr, M., 15

Fabbri, E., see Borasio, P.G., 105
Fernandez, A., de Ceballos, M.L., Jenner, P. and Marsden, C.D., Striatal neuropeptide levels in Parkinson's disease patients, 171
Floran, B., see Aceves, J., 40
Flores, G., see Aceves, J., 40
Fortin, G., Branchereau, P., Araneda, S. and Champagnat, J., Rhythmic activities in the rat solitary complex in vitro, 23
Fujimiya, M., McIntosh, C.H.S., Kimura, H. and Kwok, Y.N., Effect of carbachol on luminal release of somatostatin from isolated perfused rat duodenum, 229

Gao, X., Phillips, P.A., Widdop, R.E., Trinder, D., Jarrott, B. and Johnston, C.I., Presence of functional vasopressin V_1 receptors in rat vagal afferent neurones, 79
Geer, J.J., see Taylor, C.P., 197
Gilchrist, D.P.D., see Darlington, C.L., 97
Gould, J., Reeve, H.L., Vaughan, P.F.T. and Peers, C., Nicotinic acetylcholine receptors in human neuroblastoma (SH-SY5Y) cells, 201
Grandy, D.K., see Meador-Woodruff, J.H., 209
Grant, G., see Rivero-Melián, C., 114
Grieve, A. and Griffiths, R., Simultaneous measurement by HPLC of the excitatory amino acid transmitter candidates homocysteate and homocysteine sulphinate supports a predominant astrocytic localisation, 1
Griffiths, R., see Grieve, A., 1
Gundelfinger, E.D., see Schloss, P., 63
Guy, N., Teillet, M.A., Schuler, B., la Salle, G.L.G., Le Douarin, N., Naquet, R. and Batini, C., Pattern of electroencephalographic activity during light induced seizures in genetic epileptic chicken and brain chimeras, 55

Hanbauer, I., see de Erausquin, G., 121
Hanger, D.P., Mann, D.M.A., Neary, D. and Anderton, B.H., Tau

pathology in a case of familial Alzheimer's disease with a valine to glycine mutation at position 717 in the amyloid precursor protein, 178
Harada, S., see Kamiya, Y., 37
Heyes, M.P., Quinolinic acid in culture media used for in vitro neurotoxicology studies, 234
Hökfelt, T., see Xu, Z., 185
Hölscher, C. and Rose, S.P.R., An inhibitor of nitric oxide synthesis prevents memory formation in the chick, 165
Hosono, R., see Kamiya, Y., 37

Ikeda, K., see Iwasaki, Y., 175
Inoue, O., Suhara, T., Itoh, T., Kobayashi, K., Suzuki, K. and Tateno, Y., In Vivo Binding of [^{11}C]Ro15-4513 in human brain measured with PET, 133
Itoh, T., see Inoue, O., 133
Iwasaki, Y., Ikeda, K., Shiojima, T. and Kinoshita, M., Increased plasma concentrations of aspartate, glutamate and glycine in Parkinson's disease, 175

Jarrott, B., see Gao, X., 79
Jenner, P., see Fernandez, A., 171
Joh, T.H., see Miyoshi, R., 205
Johnston, C.I., see Gao, X., 79
Johnston, M.V., see McDonald, J.W., 213
Jones, S., Robbins, J. and Brown, D.A., Neurotransmitter modulation of calcium channels is dependent on the charge carrier used in the recording of currents, 153
Joseph, J.A., see Wang, S.-Z., 149
Jung, E., see Ohm, T.G., 181

Kakei, S., see Sugiuchi, Y., 221
Kamiya, Y., Harada, S., Yamamoto, H. and Hosono, R., Mutations in genes for acetylcholinesterase intensify lethality by acrylamide in *Caenorhabditis elegans*, 37
Kato, M., Walking of cats on a grid: performance of locomotor task in spinal intact and hemisected cats, 129
Kaur, G., see Kaur, K., 168
Kaur, K. and Kaur, G., Acute starvation decreases acetylcholinesterase activity in different regions of rat brain, 168
Kelley, K.W., see Kent, S., 83
Kent, S., Kelley, K.W. and Dantzer, R., Effects of lipopolysaccharide on food-motivated behavior in the rat are not blocked by an interleukin-1 receptor antagonist, 83
Kimura, H., see Fujimiya, M., 229
Kinoshita, M., see Iwasaki, Y., 175
Kito, S., see Miyoshi, R., 205
Kóczán, G., see Barthó, L., 43
Kobayashi, K., see Inoue, O., 133
Komisaruk, B.R., see Chinapen, S., 93
Kucera, J. and Walro, J.M., Formation of muscle spindles in the absence of motor innervation, 47
Kwok, Y.N., see Fujimiya, M., 229

la Salle, G.L.G., see Guy, N., 55
Lainé, J., Axelrad, H. and Rahbi, N., Intermediate cells of Lugaro are present in the immature rat cerebellar cortex at an earlier stage than previously thought, 225
Le Douarin, N., see Guy, N., 55
Levin, E.D., see Uemura, E., 33
Lewis, D.A., see Oeth, K.M., 87
Loeb, G.E., see Young, R.P., 137
Lombes, M., see El-Etr, M., 15

Maggi, C.A., see Barthó, L., 43
Mann, D.M.A., see Hanger, D.P., 178
Manna, V., see Bolino, F., 126
Mansour, A., see Meador-Woodruff, J.H., 209
Marchi, M., see Raiteri, M., 109
Marsden, C.D., see Fernandez, A., 171
Martinez-Fong, D., see Aceves, J., 40
Mayser, W., see Schloss, P., 63
McDonald, J.W. and Johnston, M.V., Neuroprotective synergism of 2-amino-3-phosphonoproprionate (D,L-AP3) and MK-801 against ibotenate induced brain injury, 213
McIntosh, C.H.S., see Fujimiya, M., 229
Meador-Woodruff, J.H., Mansour, A., Grandy, D.K., Damask, S.P., Civelli, O. and Watson Jr., S.J., Distribution of D_5 dopamine receptor mRNA in rat brain, 209
Michaloudi, H., see Antonopoulos, J., 75
Miyoshi, R., Kito, S., Muraki, T., Weiser, M. and Joh, T.H., Effect of caerulein on expression of the immediate-early genes c-*fos* and *zif*/268 in the rat brain, 205
Mooradian, A.D. and Smith, T.L., The effect of experimentally induced diabetes mellitus on the lipid order and composition of rat cerebral microvessels, 145
Morino, P., see Xu, Z., 185
Muraki, T., see Miyoshi, R., 205

Naquet, R., see Guy, N., 55
Neary, D., see Hanger, D.P., 178
Nelson, C., see Silverstein, F.S., 157
Nistri, A., see Sivilotti, L., 28

Oeth, K.M. and Lewis, D.A., Cholecystokinin- and dopamine-containing mesencephalic neurons provide distinct projections to monkey prefrontal cortex, 87
Ohm, T.G., Jung, E. and Schnecko, A., A subpopulation of hippocampal glial cells specific for the zinc-containing mossy fibre zone in man, 181
Olianas, M.C., see Onali, P., 161
Onali, P. and Olianas, M.C., Is forskolin stimulation of rat striatal tyrosine hydroxylase dependent on adenylate cyclase activation?, 161
Ostwald, J., see Ebert, U., 51

Papadopoulos, G.C., see Antonopoulos, J., 75
Parnavelas, J.G., see Antonopoulos, J., 75
Peers, C., see Gould, J., 201
Pethö, G., see Barthó, L., 43
Phillips, A.G., see Wood, E.R., 10
Phillips, N.H. and Berger, R.J., Melatonin infusions restore sleep suppressed by continuous bright light in pigeons, 217
Phillips, P.A., see Gao, X., 79

Rahbi, N., see Lainé, J., 225
Raiteri, M., Costa, R. and Marchi, M., Effects of oxiracetam on neurotransmitter release from rat hippocampus slices and synaptosomes, 109
Reeve, H.L., see Gould, J., 201
Rivero-Melián, C., Rosario, C. and Grant, G., Demonstration of transganglionically transported choleragenoid in rat spinal cord by immunofluorescence cytochemistry, 114
Robbins, J., see Jones, S., 153
Robles, I., Barrios, M. and Baeyens, J.M., Centrally administered

aminoglycoside antibiotics antagonize naloxone-precipitated withdrawal in mice acutely dependent on morphine, 189
Rosario, C., see Rivero-Melián, C., 114
Rose, S.P.R., see Hölscher, C., 165
Rossi, A., see Bolino, F., 126

Sáez-Valero, J., see Tornel, P.L., 59
Saidel, W.M., see Butler, A.B., 193
Schloss, P., Mayser, W., Gundelfinger, E.D. and Betz, H., Cross-linking of ^{125}I-α-bungarotoxin to *Drosophila* head membranes identifies a 42 kDa toxin binding polypeptide, 63
Schnecko, A., see Ohm, T.G., 181
Schoepp, D.D. and True, R.A., 1*S*,3*R*-ACPD-sensitive (metabotropic) [^{3}H]glutamate receptor binding in membranes, 100
Schuler, B., see Guy, N., 55
Scott, S.H., see Young, R.P., 137
Shibata, S., see Tominaga, K., 67
Shinoda, Y., see Sugiuchi, Y., 221
Shiojima, T., see Iwasaki, Y., 175
Sierra, A., see Aceves, J., 40
Silverstein, F.S. and Nelson, C., The microsomal calcium-ATPase inhibitor thapsigargin is a neurotoxin in perinatal rodent brain, 157
Sivilotti, L. and Nistri, A., An intracellular study of the effects of GABA on frog tectal neurones in vitro, 28
Sluka, K.A. and Westlund, K.N., An experimental arthritis in rats: dorsal horn aspartate and glutamate increases, 141
Smith, P.F., see Darlington, C.L., 97
Smith, T.L., see Mooradian, A.D., 145
Spike, R.C., see Todd, A.J., 71
Steinman, J.L., see Chinapen, S., 93
Streit, P., see Tschopp, P., 6
Sugiuchi, Y., Kakei, S. and Shinoda, Y., Spinal commissural neurons mediating vestibular inputs to neck motoneurons in the cat upper cervical spinal cord, 221
Suhara, T., see Inoue, O., 133
Suzuki, K., see Inoue, O., 133
Swann, J.M., see Chinapen, S., 93

Tateno, Y., see Inoue, O., 133
Taylor, C.P., Geer, J.J. and Burke, S.P., Endogenous extracellular glutamate accumulation in rat neocortical cultures by reversal of the transmembrane sodium gradient, 197
Teillet, M.A., see Guy, N., 55
Todd, A.J. and Spike, R.C., Co-localization of Met-enkephalin and somatostatin in the spinal cord of the rat, 71
Tominaga, K., Shibata, S. and Watanabe, S., A neuroprotective effect of adenosine A_1-receptor agonists on ischemia-induced decrease in 2-deoxyglucose uptake in rat hippocampal slices, 67
Tornel, P.L., Sáez-Valero, J. and Vidal, C.J., *Ricinus communis* agglutinin I reacting and non-reacting butyrylcholinesterase in human cerebrospinal fluid, 59
Trinder, D., see Gao, X., 79
True, R.A., see Schoepp, D.D., 100
Tschopp, P., Streit, P. and Do, K.Q., Homocysteate and homocysteine sulfinate, excitatory transmitter candidates present in rat astroglial cultures, 6

Uemura, E. and Levin, E.D., The effect of halothane on cultured fibroblasts and neuroblastoma cells, 33

Vaughan, P.F.T., see Gould, J., 201
Vidal, C.J., see Tornel, P.L., 59
Villar, M., see Xu, Z., 185

Walro, J.M., see Kucera, J., 47
Wang, S.-Z., Zhu, S.-Z., Joseph, J.A. and El-Fakahany, E.E., Comparison of the level of mRNA encoding m1 and m2 muscarinic receptors in brains of young and aged rats, 149
Watanabe, S., see Tominaga, K., 67
Watson Jr., S.J., see Meador-Woodruff, J.H., 209
Weiser, M., see Miyoshi, R., 205
Westlund, K.N., see Sluka, K.A., 141
Widdop, R.E., see Gao, X., 79
Wood, E.R., Bussey, T.J. and Phillips, A.G., A glycine antagonist reduces ischemia-induced CA1 cell loss in vivo, 10

Xu, Z., Cortés, R., Villar, M., Morino, P., Castel, M.-N. and Hökfelt, T., Evidence for upregulation of galanin synthesis in rat glial cells in vivo after colchicine treatment, 185

Yamamoto, H., see Kamiya, Y., 37
Young, R.P., Scott, S.H. and Loeb, G.E., An intrinsic mechanism to stabilize posture – joint-angle-dependent moment arms of the feline ankle muscles, 137

Zhu, S.-Z., see Wang, S.-Z., 149